



SDA 系列薄型气缸

■ 外牙型尺寸

Φ12、Φ16





Φ12、Φ16 AB(AB+单动常出行程)



内径	AB	D	DA	E	EA	EB	F	FA	H	M	MA	
											SDAD	SDAJ
12	17	6	16	M5×0.8	10	12	8	4	5	10.2	1	1
16	17.5			M5×0.8								
20	20.5	8	19	M6×1.0	13	15	10	5	6	13	2	2.5
25	23			M8×1.25								
32	25	12	22	M10×1.25	15	17	12	6	10	22	3	2.5
40	35			M14×1.5								
50	37	20	33	M18×1.5	25	28	27	11	17	38	4	4
63				M18×1.5								
80	44	25	39	M22×1.5	30	33	32	13	22	45	5	5
100	50			M26×1.5								



SSA

Φ12、Φ16





STA



Φ12、Φ16



Φ20~Φ63



Φ20~Φ63




内径	A(标准)		A(附磁)		AB	AC(标准)		AC(附磁)		B	BA
	St≤10	St>10	St≤10	St>10		St≤10	St>10	St≤10	St>10		
12	32	42	52	5	27	37	47	25	1	25	36
16	34	44	54	5.5	28.5	38.5	48.5	29			
20	35	45	55	6	29.5	39.5	49.5	34	2	40	42
25	37	47	57	7	31	41	51	40			
32	41.5	51.5	61.5	9	34.5	44.5	54.5	44	3	50	58.5
40	43	53	63		36	46	56	52			
50	47	57	67	9	38	48	58	62	4	71.5	84.5
63	51	61	71		42	52	62	75			

内径	D	DA	E	EA	H	J	JA	K	KA	KB	M	MA	P	PA	PB	T
12	6	16	M3×0.5	6	5	6.5	4.5	M5×0.8通孔 φ4.2	12	16.3	10.2	1	M5×0.8	7.5	7.5	23
16			19.8							11	1.5			8	28	
20	8	19	M4×0.7	8	6	8.2	5.5	M6×1.0通孔 φ5.2	14	24	13	2	PT1/8	9		8
25			15							28	17				2	
32	12	22	M5×0.8	10	8	10	6.5	M8×1.25通孔 φ6.7	16	34	22	2.4	PT1/8	9.5	9.5	1
40			20							40	28					
50	16	33	M8×1.25	12	14	10.5	6.5	M8×1.25通孔 φ6.7	25	48	38	4	PT1/4	10.5	10.5	1
63			60							40	4			12	12	

SDA 系列薄型气缸


SDAD

Ø12/16




SDAJ


Ø12/16



Ø20-Ø100



Ø20-Ø100



缸径	A		AB	AC		DA
	标准	附磁		标准	附磁	
12	27	37	5	17	27	4
16	29.5	39.5	5.5	18.5	28.5	
20	30.5	40.5		19.5	29.5	
25	33	43	6	21	31	
32	38.5	48.5	7	24.5	34.5	
40	40	50		26	36	
50	46	56	9	28	38	5
63	50	60		32	42	
80	63	73		11	41	
100	75	85	12	51	61	7


缸径	A		AB	AC		AD	E
	标准	附磁		标准	附磁		
12	40	50	5	17	27	17	M3×0.5
16	42.5	52.5	5.5	18.5	28.5		
20	47.5	57.5		19.5	29.5	21	M4×0.7
25	54	64	6	21	31	25	M5×0.8
32	61.5	71.5	7	24.5	34.5	27	M6×1.0
40	64	74		26	36	28	M8×1.25
50	70	80	9	28	38	29	M10×1.5
63	74	84		32	42		
80	92.5	102.5		11	41		
100	110.5	120.5	12	51	61	42.5	M18×1.5

缸径	E	EA		M	MA	PA	
		St≤10	St>10			St=5	St>5
12	M3×0.5	6	10.2	1	1.5	5.5	6.3
16	M3×0.5					6.5	7.3
20	M4×0.7	8(St=5时6.5)	15	2	8	7.5	7.5
25	M5×0.8					10(St=5时7)	8
32	M6×1.0	8	12	3	8	9	10
40	M8×1.25					22	28
50	M10×1.5					38	40
63	M10×1.5	10	15	4	5	9.5	11.8
80	M14×1.5					13	45
100	M18×1.5	18	20	5	5	16	20.5
						55	


缸径	EA		FA	M	MA	PA		R
	St≤10	St>10				St=5	St>5	
12	6	10.2	4	10.2	1	5.5	6.3	M5×0.8
16						6.5	7.3	
20	8(St=5时6.5)	15	1.5	7.5	7.5	M6×1.0		
25	10(St=5时7)	17	2	6	8	8	8	M8×1.25
32						22	28	3
40	8	12	7	28	3	10	10.5	M12×1.25
50						38	40	
63	10	15	8	40	4	9.5	11.8	M16×1.5
80	13	20	10	45	5	11.5	14.5	M20×1.5
100	18	20	13.5	55	5	16	20.5	M27×2.0

SDA 系列薄型气缸


SDAT
Φ12、16




SDAW
Φ12、16



Φ20-100



Φ20-100



缸径	A		AB	AC		AD		B	BA	D	DA
	标准	附磁		标准	附磁	标准	附磁				
12	39	59	5	34	54	17	27	25	\	6	4
16	42.5	62.5	5.5	37	57	18.5	28.5	29	36	8	
20	44.5	64.5		39	59	19.5	29.5	34			
25	48	68	6	42	62	21	31	40	42	10	
32	56	76	7	49	69	24.5	34.5	44	50	12	
40	59	79		52	72	26	36	52	58.5	16	
50	65	85	9	56	76	28	38	62	71.5	20	
63	73	93		64	84	32	42	75	84.5		
80	93	113	11	82	102	41	51	94	104	25	6
100	114	134	12	102	122	51	61	114	124	32	7

缸径	A		AB	AC		AD		B	BA	D	DA
	标准	附磁		标准	附磁	标准	附磁				
12	44	64	5	34	54	17	27	25	\	6	4
16	48	68	5.5	37	57	18.5	28.5	29	36	8	
20	50	70		39	59	19.5	29.5	34			
25	54	74	6	42	62	21	31	40	42	10	
32	63	83	7	49	69	24.5	34.5	44	50	12	
40	66	86		52	72	26	36	52	58.5	16	
50	74	94	9	56	76	28	38	62	71.5	20	
63	82	102		64	84	32	42	75	84.5		
80	104	124	11	82	102	41	51	94	104	25	6
100	126	146	12	102	122	51	61	114	124	32	7

缸径	E	EA	H	J	JA	K		KA
						标准	附磁	
12	M3×0.5	6	5	6.5	4.5	M5×0.8通孔φ4.2		12
16								
20	M4×0.7	8	6	8.2	5.5	M6×1.0通孔φ5.2		14
25	M5×0.8	10	8					15
32	M6×1.0	12	10	10.5	6.5	M8×1.25通孔φ6.7		16
40								M8×1.25
50	M10×1.5	15	17	10.5	6.5	M8×1.25通孔φ6.7		25
63								
80	M14×1.5	20	22	17	11	M12×1.75通孔φ10.4		25
100	M18×1.5		27	19	13	M14×2.0通孔φ120.4		30

缸径	E	EA	H	J	JA	K		KA
						标准	附磁	
12	M3×0.5	6	5	6.5	4.5	M5×0.8通孔φ4.2		12
16								
20	M4×0.7	8	6	8.2	5.5	M6×1.0通孔φ5.2		14
25	M5×0.8	10	8					15
32	M6×1.0	12	10	10.5	6.5	M8×1.25通孔φ6.7		16
40								M8×1.25
50	M10×1.5	15	17	10.5	6.5	M8×1.25通孔φ6.7		25
63								
80	M14×1.5	20	22	17	11	M12×1.75通孔φ10.4		25
100	M18×1.5		27	19	13	M14×2.0通孔φ12.4		30

缸径	KB	M	MA	P	PA			PB		
					St=5	St>5		St=5	St>5	
						5	5.5		8	9
12	16.3	10.2	1	M5×0.8	5	7.5		8	8	
16	19.8	11	1.5			5.5	8		8	
20	24	13			2		5.5	9		9
25	28	17	5.5			8		10.5		10.5
32	34	22	2.5	PT1/8	6.5	9	9	9	9.5	9.5
40	40	28	3		7.5	7.5	9.5	8	10.5	
50	48	38	4	PT1/4	8	10.5	8	10.5	10.5	10.5
63	60	40			9.5	11	9.5	12	12	12
80	74	45	5	PT3/8	11.5	14.5	11.5	14.5	14.5	14.5
100	90	56			16	20.5	16	20.5	20.5	20.5

缸径	KB	M	MA	P	PA			PB		
					St=5	St>5		St=5	St>5	
						5	5.5		8	9
12	16.3	10.2	1	M5×0.8	5	7.5		8	8	
16	19.8	11	1.5			5.5	8		8	
20	24	13			2		5.5	9		9
25	28	17	5.5			8		10.5		10.5
32	34	22	2.5	PT1/8	6.5	9	9	9	9.5	9.5
40	40	28	3		7.5	7.5	9.5	8	10.5	
50	48	38	4	PT1/4	8	10.5	8	10.5	10.5	10.5
63	60	40			9.5	11	9.5	12	12	12
80	74	45	5	PT3/8	11.5	14.5	11.5	14.5	14.5	14.5
100	90	56			16	20.5	16	20.5	20.5	20.5

www.vipdo.cn 400-098-1117 工厂自动化零件一站式采购平台

汇集国内外知名品牌，让采购更便捷，让设计更高效！

气缸
浮动接头
18