


拖链 ◀ 10系列整体轻型拖链/拖链头



代码	类型	打开方式	腔数	材质	颜色	允许温度	阻燃等级	附件	备注
QFP10	10系列拖链	桥式不可开型	单腔	工程塑料	黑色	-40°~125°	UL94-V2	接头	总节数包含两节接头
QFP11		桥式外开型							




型号		弯曲半径R	链接数N	接头	内高B	外高C	外宽E	节距 P	弯曲总高 H	安全距离 D		
代码	内宽F											
QFP10	10	R18 R28	1~	QEP10	10	13.6	17.5	R18:17/R28:20	R18: 51 R28: 71	节距P×2		
	15				10	13.6	23	R18:17/R28:20				
	20	R32 R42			10	15	27.5	20				
	30				10	12.5	37	13	R32: 61			
	40				10	12.5	47	13	R42: 96			
QFP11	10	R18 R28		QEP10	10	15	17.5	16.7	R18:51 R28:71 R38:91			
	15				10	15	23					
	20	R28 R38			10	15	28					
	30				10	15	38					




代码	类型	拖链打开方式	类型	材质	颜色	允许温度	阻燃等级
QEP10	10系列	桥式不可开型(无梳妆板)	一般用接头	工程塑料	黑色	-40°~125°	UL94-V2
QEP11		桥式外开型(可选梳妆板)					


A款
R18 (不开:10×10)



R18 (不开:10×15)




R18 (不开:10×20)




拖链 ◀ 10系列整体轻型拖链/拖链头


A款
R28 (不开:10×10)




R28 (不开:10×15)




R28
(不开:10×20)





R32 (不开:10×30)





R42
(不开:10×40)



外开10×10





外开10×15





拖链 ◀ 10系列整体轻型拖链/拖链头

外开10×20



外开10×30



请按图示订货

■ QFP10-F15-R28-N22-QEP10

型号		弯曲半径	链接数	接头	梳妝板 (选配)
代码	内宽F	R	N		
QFP10	15	28	1~	QEP10	SZB

■ QEP10-F15-R28

型号		弯曲半径
代码	内宽F	R
QEP10	15	28



交期Delivery

5天

发货

○本产品发货时间不含周日

