


欧标20系列 ◀ 连接配件

挤压角座


系列码	材质	表面处理
XCCB01	A6063-T5	喷砂氧化

■ 用于型材角度固定的外连接，内连接的加固。


■ 可来图定制。





XCCB01-206-2014




XCCB01-206-2034




XCCB01-206-2054





XCCB01-206-3514




XCCB01-206-3534




XCCB01-206-3554





XCCB01-206-5514




XCCB01-206-5534




XCCB01-206-5554





XCCB01-206-5014




XCCB01-206-5034




XCCB01-206-5054





XCCB01-206-6014



XCCB01-206-6034




XCCB01-206-6054



视图标准：第三视角

欧标20系列 ◀ 连接配件 挤压角座



系列码	型材类型	规格	重量(g/pcs)
XCCB01	206	2014	3.40
		2034	8.90
		2054	13.50
		3514	14.40
		3534	35.20
		3554	56.00
		5514	32.00
		5534	77.00
		5554	122.00
		5014	28.00
		5034	69.00

系列码	型材类型	规格	重量(g/pcs)
XCCB01	206	5054	109.00
		6014	34.00
		6034	82.00
		6054	129.00
		80A14	40.50
		80A34	96.00
		80A54	152.00
		70A14	46.60
		70A34	116.00
		70A54	185.00

■加工项目/配置附件

加工项目/配置附件	代码	说明
截面螺纹孔加工	S	面板安装螺 纹孔加工 在角座侧面上加工 安装面板用的螺纹 孔(单面M5螺纹孔 深度15mm)。 螺纹孔位置

■加工项目/配置附件指定方法见订货案例。

■加工项目/配置附件

加工项目/配置附件	代码	说明
适配螺栓, T型 螺母和垫块	SE	螺栓: YWE02-M5-L16 T型螺母: XCNA45-206-M5 垫片: YWS02-5

■加工项目/配置附件指定方法见订货案例。



请按图示订货

■ XCCB01-206-5014-S

系列码	型材类型	规格	加工项目/配置附件
XCCB01	206	5014	S



交期Delivery

5天

发货

○ 本产品发货时间不含周日

使用示例：

