


欧标40槽10系列 ◀ 连接配件


挤压角码

系列码	材质	表面处理
XCCB01	A6063-T5	喷砂氧化


■用于型材固定角度的外连接，可固定封板。




XCCB01-4010-4530





XCCB01-4010-4570




XCCB01-4010-45110




XCCB01-4010-3530





XCCB01-4010-3570




XCCB01-4010-35110




XCCB01-4010-5530





XCCB01-4010-5570




XCCB01-4010-55110




XCCB01-4010-5030





XCCB01-4010-5070




XCCB01-4010-50110





XCCB01-4010-6030



XCCB01-4010-6070



XCCB01-4010-60110




视图标准：第三视角


欧标40槽10系列 ◀ 连接配件

挤压角码


XCCB01-4010-8030




XCCB01-4010-8070




XCCB01-4010-80110




XCCB01-4010-80B30




XCCB01-4010-80B70




XCCB01-4010-80B110




XCCB01-4010-9030




XCCB01-4010-9070




XCCB01-4010-90110




XCCB01-4010-80A30




XCCB01-4010-80A70




XCCB01-4010-80A110





XCCB01-4010-70A30



XCCB01-4010-70A70



XCCB01-4010-70A110



视图标准：第三视角

欧标40槽10系列 ◀ 连接配件 挤压角码

系列码	型材类型	规格	重量(g/pcs)
XCCB01	4010	4530	25.20
		4570	58.00
		45110	92.00
		3530	30.90
		3570	72.00
		35110	113.00
		5530	68.00
		5570	160.00
		55110	250.00
		5030	60.00
		5070	141.00
		50110	222.00
		6030	73.00
		6070	169.00
		60110	266.00


系列码	型材类型	规格	重量(g/pcs)
XCCB01	4010	8030	113.00
		8070	264.00
		80110	415.00
		80B30	137.00
		80B70	320.00
		80B110	503.00
		9030	140.00
		9070	323.00
		90110	510.00
		80A30	87.00
		80A70	203.00
		80A110	319.00
		70A30	100.00
		70A50	235.00
		70A110	369.00



请按图示订货

■ XCCB01-4010-4040-S-SE

系列码	型材类型	规格	加工项目	配置附件
XCCB01	4010	3530	S	SE




交期Delivery

5天

发货


○ 本产品发货时间不含周日

■ 加工项目/配置附件

① 加工项目	S	截面螺纹孔加工	说明 
② 配置附件	SE	适配螺栓, T型螺母和垫片	螺栓: YWE02-M8-L16 F型螺母: XCNA45-4010-M8 垫片: YWS02-8

■ 加工项目/配置附件为可选项, 可依据需要选择一项/两项或者不选。

使用示例:



欧
标
40
槽
10
05



www.vipdo.cn



400-098-1117

工厂自动化零件一站式采购平台

汇集国内外知名品牌, 让采购更便捷, 让设计更高效!